

Mr. Scott Larrison
MC Aluminum America, Inc.
6875 South Inwood Drive
Columbus, IN 47201

Re: 005-12955-00043
First Administrative Amendment to
F005-5548-00043

Dear Mr. Larrison:

MC Aluminum America, Inc. was issued a permit on December 11, 1996 for a stationary source that operates a secondary aluminum smelting operation. The Office of Air Quality (OAQ) received a letter on November 14, 2000, notifying OAQ that the 20 metric ton reverberatory furnace identified as EU-O3 was fitted with a new bag house which replaces an old one.

This administrative amendment documents the replacement of this control device. Since there are no new emission units to be constructed and there is no change in the emissions limit, pursuant to the provisions of 326 IAC 2-7-11, the permit is hereby administratively amended.

No changes in the operating permit language are required, because this is a replacement for a bag house that was already listed as a control device for the 20 metric ton reverberatory furnace known as EU-03 on the above mentioned equipment in Section A.2 and Section D.1.

1. The cover page has a new box added as follows:

First Administrative Amendment: 005-12955-00043	
Issued by: Paul Dubenetzky, Branch Chief Office of Air Management	Issuance Date:

2. As of January 1, 2001, the Office of Air Management became known as the Office of Air Quality. This change is reflected throughout the permit.

All other conditions of the permit shall remain unchanged and in effect. Please replace your current permit copy with this most recent version created as a result of this First Administrative Amendment and incorporation of the significant permit modification language into the permit.

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Gail McGarrity, at (800) 451-6027, press 0 and ask for Gail McGarrity or extension 3-0242, or dial (317) 233-0242.

Sincerely,

Paul Dubenetzky, Chief

MC Aluminum America, Inc.
of 2
Columbus, Indiana
00043
Reviewed by : Gail McGarrity

Page 2

First Administrative Amendment 005-12955-

Permits Branch
Office of Air Quality

Attachments

gmm

cc: File -Bartholomew County
Bartholomew County Health Department
Air Compliance Section Inspector -D.J. Knotts
Compliance Data Section - Karen Nowak
Administrative and Development - Janet Mobley
Technical Support and Modeling - Michele Boner

FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP) Office of Air Quality

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

100 North Senate Avenue, P. O. Box 6015
Indianapolis, Indiana 46206-6015
Phone: 1-800-451-6027

M.C. Aluminum America, Inc.
6875 South Inwood Drive
Columbus, Indiana 47201

M.C. Aluminum America, Inc. is hereby authorized to operate subject to the conditions contained herein, the facilities listed in Section A (Source Summary) of this permit.

This permit is issued in accordance with 326 IAC 2 and 40 CFR Part 70 and contains the conditions and provisions specified in 326 IAC 2-8 and 40 CFR Part 70.6 as required by 42 U.S.C. 7401, et. seq. (Clean Air Act as amended by the 1990 Clean Air Act Amendments) and IC 13-15 and IC 13-17 (prior to July 1, 1996, IC 13-1-1-4 and IC 13-7-10).

Operation Permit No.: F 005-5548-00043	
Issued by: Felicia R. George, Assistant Commissioner Office of Air Quality	Issuance Date: December 11, 1996
Significant Permit Modification: 005-8925-00043	Pages affected: 3, 4, 21, 28
Issued by: Paul Dubentzky, Branch Chief Office of Air Quality	Issuance Date: December 30, 1997
First Administrative Amendment 005-12955-00043	

M.C. Aluminum America, Inc.
Columbus, Indiana
Permit Reviewer: MES

First Administrative Amendment 005-12955
Amended by: Gail McGarrity

Page 2 of 30
F 005-5548-00043

Issued by: Paul Dubentzky, Branch Chief Office of Air Quality	Issuance Date:
--	-----------------------

TABLE OF CONTENTS		
Section	Description	Page No.
	COVER PAGE	1
	TABLE OF CONTENTS	2
A	SOURCE SUMMARY	4
A.1	General Information [326 IAC 2-8-3(c)]	
A.2	Emission Units and Pollution Control Summary [326 IAC 2-8-3(c)]	
A.3	Insignificant Activities [326 IAC 2-8-3(c)(3)(I)]	
A.4	FESOP Applicability [326 IAC 2-8-2]	
B	GENERAL CONDITIONS	6
B.1	General Requirements [IC 13-15] [IC 13-17]	
B.2	Definitions [326 IAC 2-8-1]	
B.3	Permit Term [326 IAC 2-8-4(2)]	
B.4	Enforceability [326 IAC 2-8-6]	
B.5	Termination of Right to Operate [326 IAC 2-8-9]	
B.6	Severability [326 IAC 2-8-4(4)]	
B.7	Property Rights or Exclusive Privilege [326 IAC 2-8-4(5)(D)]	
B.8	Duty to Supplement & Provide Information [326 IAC 2-8-3(f)] [326 IAC 2-8-4(5)(E)]	
B.9	Compliance Order Issuance [326 IAC 2-8-5(b)]	
B.10	Compliance with Permit Conditions [326 IAC 2-8-4(5)(A)] [326 IAC 2-8-4(5)(B)]	
B.11	Certification [326 IAC 2-8-3(d)] [326 IAC 2-8-4(3)(C)(i)]	
B.12	Annual Compliance Certification [326 IAC 2-8-5(a)(1)]	
B.13	Preventive Maintenance Plan [326 IAC 2-8-4(9)] [326 IAC 1-6-3]	
B.14	Emergency Provision [326 IAC 2-8-12]	
B.15	Deviations from Permit Requirements and/or Conditions [326 IAC 2-8-4(3)(C)(ii)]	
B.16	Permit Modification, Reopening, Revocation, and Reissuance or Termination [326 IAC 2-8-4(5)(C)] [326 IAC 2-8-7(a)] [326 IAC 2-8-8(a)] [326 IAC 2-8-8(b)] [326 IAC 2-8-8(c)]	
B.17	Permit Renewal [326 IAC 2-8-3(h)]	
B.18	Administrative Permit Amendment [326 IAC 2-8-10]	
B.19	Minor Permit Modification [326 IAC 2-8-11(a)] [326 IAC 2-8-11(b)(1) and (2)]	
B.20	Significant Permit Modification [326 IAC 2-8-11(d)]	
B.21	Permit Revision Under Economic Incentives and Other Programs [326 IAC 2-8-11(b)(2)]	
B.22	Operational Flexibility [326 IAC 2-8-15]	
B.23	Construction Permit Requirement [326 IAC 2-1]	
B.24	Inspection and Entry [326 IAC 2-8-5(a)(2)]	
B.25	Annual Fee Payment [326 IAC 2-8-4(6)] [326 IAC 2-8-16]	

TABLE OF CONTENTS		
Section	Description	Page No.
C	SOURCE OPERATION CONDITIONS	16
D.1	FACILITY OPERATION CONDITIONS	21
	<p>One (1) natural gas-fired chip dryer (#1) rated at 1.59 MMBtu/hr, known as EU-04, equipped with a 1.98 MMBtu/hr afterburner and a cyclone/baghouse, capacity: 4,400 lbs/hr.</p> <p>One (1) natural gas-fired chip dryer (#2) rated at 3.26 MMBtu/hr, known as EU-05, equipped with a 13.04 MMBtu/hr afterburner, known as EU-01C, and a baghouse, capacity: 8,419 lbs/hr.</p> <p>One (1) natural gas-fired 20 MT burner rated at 15 MMBtu/hr, known as EU-01A, capacity: 4,160 lbs/hr.</p> <p>One (1) natural gas-fired 40 MT burner rated at 18 MMBtu/hr, known as EU-01B, capacity: 7,650 lbs/hr.</p> <p>One (1) 20 MT reverberatory furnace, known as EU-03, equipped with a baghouse, capacity: 4,260 lbs/hr.</p> <p>One (1) 40 MT reverberatory furnace, known as EU-02, equipped with a baghouse, capacity: 8,050 lbs/hr.</p> <p>One (1) rotary furnace, known as EU-06, equipped with a baghouse, capacity: 2,000 lbs/hr.</p> <p>One (1) holding furnace, known as EU-07, capacity: 40,000 lbs/hr.</p> <p>One (1) casting area, known as EU-08, capacity: 20,000 lbs/hr.</p> <p>One (1) 30 metric ton reverberatory furnace, known as RF#3, capacity: 6,150 lb/hr.</p>	
	FORMS	
	Certification Form	25
	Deviation Reporting Forms (2)	26
	Relocation Reporting Form	28
	Reporting Forms (2)	29
	Total Number of Permit Pages	30
	Total Number of Forms	6
	Technical Support Document	
	Emissions Calculations	

SECTION A SOURCE SUMMARY

A.1 General Information [326 IAC 2-8-3(c)]

The Permittee owns and operates a secondary aluminum smelting source.

Responsible Official: Shuji Miyamoto
Source Address: 6875 South Inwood Drive, Columbus, Indiana 47201
Mailing Address: 6875 South Inwood Drive, Columbus, Indiana 47201
SIC Code: 3341
County Location: Bartholomew
County Status: Attainment for all criteria pollutants
Source Status: Synthetic Minor Source, FESOP Program

A.2 Emission Units and Pollution Control Summary [326 IAC 2-8-3(c)]

The stationary source consists of the following emission units and pollution control devices:

- a) One (1) natural gas-fired chip dryer (#1) rated at 1.59 MMBtu/hr, known as EU-04, equipped with a 1.98 MMBtu/hr afterburner and a cyclone/baghouse, capacity: 4,400 lbs/hr.
- b) One (1) natural gas-fired chip dryer (#2) rated at 3.26 MMBtu/hr, known as EU-05, equipped with a 13.04 MMBtu/hr afterburner, known as EU-01C, and a baghouse, capacity: 8,419 lbs/hr.
- c) One (1) natural gas-fired 20 MT burner rated at 15 MMBtu/hr, known as EU-01A, capacity: 4,160 lbs/hr.
- d) One (1) natural gas-fired 40 MT burner rated at 18 MMBtu/hr, known as EU-01B, capacity: 7,650 lbs/hr.
- e) One (1) 20 MT reverberatory furnace, known as EU-03, equipped with a baghouse, capacity: 4,260 lbs/hr.
- f) One (1) 40 MT reverberatory furnace, known as EU-02, equipped with a baghouse, capacity: 8,050 lbs/hr.
- g) One (1) rotary furnace, known as EU-06, equipped with a baghouse, capacity: 2,000 lbs/hr.
- h) One (1) holding furnace, known as EU-07, capacity: 40,000 lbs/hr.
- i) One (1) casting area, known as EU-08, capacity: 20,000 lbs/hr.
- j) One (1) 30 metric ton reverberatory furnace, known as RF#3, capacity: 6,150 lbs/hr.

A.3 Insignificant Activities [326 IAC 2-8-3(c)(3)(I)]

This stationary source also includes the following insignificant activities, as defined in 326 IAC 2-7-1(20):

- a) Natural gas-fired combustion sources with heat input equal to or less than ten million (10,000,000) Btu per hour.
- b) A petroleum fuel, other than gasoline, dispensing facility, having a storage capacity of less than or equal to 10,500 gallons, and dispensing less than or equal to 230,000 gallons per month.

- c) Vessels storing lubricating oil, hydraulic oils, machining oils, and machining fluids.
- d) Activities associated with the treatment of wastewater streams with an oil and grease content less than or equal to 1% by volume.
- e) Replacement or repair of electrostatic precipitators, bags in baghouses and filters in other air filtration equipment.
- f) Paved and unpaved roads and parking lots with public access.
- g) A laboratory as defined in 326 IAC 2-7-1(20)(C).
- h) Dross processing.

A.4 FESOP Applicability [326 IAC 2-8-2]

This stationary source, required to have a Part 70 permit as described in 326 IAC 2-7-2(a), has applied to Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ) for a Federally Enforceable State Operating Permit (FESOP).

SECTION B GENERAL CONDITIONS

- B.1 General Requirements [IC 13-15] [IC 13-17] (Prior to July 1, 1996: IC 13-7 and IC 13-1-1)
The permittee shall comply with the provisions of IC 13-15 (Permits Generally), IC 13-17 (Air Pollution Control) and the rules promulgated thereunder.
- B.2 Definitions [326 IAC 2-8-1]
Terms in this permit shall have the meaning assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, any applicable definitions found in IC 13-11 (prior to July 1, 1996, IC 13-7-2, IC 13-1-1-2), 326 IAC 1-2, and 326 IAC 2-7 shall prevail.
- B.3 Permit Term [326 IAC 2-8-4(2)]
This permit is issued for a fixed term of five (5) years from the effective date, as determined in accordance with IC 4-21.5-3-5(f) and IC 13-5-5-3 (prior to July 1, 1996, IC 13-7-10-2.5), of the permit.
- B.4 Enforceability [326 IAC 2-8-6]
a) All terms and conditions in this permit, including any provisions designed to limit the source's potential to emit, are enforceable by IDEM.

b) Unless otherwise stated, terms and conditions of this permit, including any provisions to limit the source's potential to emit, are enforceable by the United States Environmental Protection Agency (U.S. EPA) and citizens under the Clean Air Act.
- B.5 Termination of Right to Operate [326 IAC 2-8-9]
The expiration of this permit terminates the Permittee's right to operate unless a timely and complete renewal application has been submitted consistent with 326 IAC 2-8-3(h) and 326 IAC 2-8-7.
- B.6 Severability [326 IAC 2-8-4(4)]
a) The provisions of this permit are severable, and if any provisions of this permit, or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

b) Indiana rules from 326 IAC quoted in conditions in this permit are those applicable at the time the permit was issued. The issuance or possession of this permit shall not alone constitute a defense against an alleged violation of any law, regulation or standard.
- B.7 Property Rights or Exclusive Privilege [326 IAC 2-8-4(5)(D)]
This permit does not convey any property rights of any sort or any exclusive privilege.
- B.8 Duty to Supplement and Provide Information [326 IAC 2-8-3(f)] [326 IAC 2-8-4(5)(E)]
a) The Permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information to:

Indiana Department of Environmental Management,
Permits Branch, Office of Air Quality,
100 North Senate Avenue, P.O. Box 6015
Indianapolis, Indiana 46206-6015

M.C. Aluminum America, Inc.
Columbus, Indiana
Permit Reviewer: MES

First Administrative Amendment 005-12955
Amended by: Gail McGarrity

Page 8 of 30
F 005-5548-00043

- b) The Permittee shall also provide additional information as requested by IDEM, OAQ, to determine the compliance status of the source in accordance with 326 IAC 2-8-5(a).
- c) The Permittee shall furnish to IDEM, OAQ, within a reasonable time, any information that the IDEM, OAQ may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit.
- d) Upon written request, the Permittee shall also furnish to IDEM, OAQ, copies of records required to be kept by this permit. For information claimed to be confidential, the Permittee shall furnish such records directly to both the U.S. EPA and IDEM, OAQ, along with a claim of confidentiality.

Such confidentiality claims shall meet the requirements of 40 CFR Part 2, Subpart B (when submitting to U.S. EPA) and 326 IAC 17 (when submitting to IDEM, OAQ).

B.9 Compliance Order Issuance [326 IAC 2-8-5(b)]

IDEM, OAQ may issue a compliance order to this Permittee upon discovery that this permit is in nonconformance with an applicable requirement. The order may require immediate compliance or contain a schedule for expeditious compliance with the applicable requirement.

B.10 Compliance with Permit Conditions [326 IAC 2-8-4(5)(A)] [326 IAC 2-8-4(5)(B)]

- a) The Permittee must comply with all conditions of this permit. Noncompliance with any provisions of this permit is grounds for:
 - 1) enforcement action;
 - 2) permit termination, revocation and reissuance or modification; and
 - 3) denial of a permit renewal application.
- b) It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

B.11 Certification [326 IAC 2-8-3(d)] [326 IAC 2-8-4(3)(C)(i)]

Any application form, report, or compliance certification submitted under this permit shall contain certification by a responsible official of truth, accuracy, and completeness. This certification and any other certification required under this permit shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

A responsible official is defined at 326 IAC 2-7-1(33).

B.12 Annual Compliance Certification [326 IAC 2-8-5(a)(1)]

- a) The Permittee shall annually certify that the source has complied with the terms and conditions contained in this permit, including emission limitations, standards, and work practices. The certification shall be submitted July 1 to:

Indiana Department of Environmental Management,
Compliance Data Section, Office of Air Quality,
100 North Senate Avenue, P.O. Box 6015

Indianapolis, Indiana 46206-6015

and

U.S. Environmental Protection Agency (EPA), Regional Administrator, Region V
Air and Radiation Division, Regulation Development Branch (AR-18J)
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

- b) This annual compliance certification report required by this permit shall be timely if:
 - 1) Delivered by U.S. mail and postmarked on or before the date it is due; or
 - 2) Delivered by any other method if it is received and stamped by IDEM, OAQ, on or before the date it is due.
- c) The annual compliance certification report shall include the following:
 - 1) The identification of each term and condition of this permit that is the basis of the certification;
 - 2) The compliance status;
 - 3) Whether compliance was continuous or intermittent;
 - 4) The methods used for determining the compliance status of the source, currently and over the reporting period; and
 - 5) Such other facts as IDEM, OAQ, may require to determine the compliance status of the source.

B.13 Preventive Maintenance Plan [326 IAC 2-8-4(9)] [326 IAC 1-6-3]

- a) The Permittee shall prepare, maintain and implement operation and Preventive Maintenance Plans as necessary including the following information on each:
 - 1) Identification of the individual(s) responsible for inspecting, maintaining, and repairing emission control devices;
 - 2) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions;
 - 3) Corrective actions that will be implemented in the event an inspection indicates an out of specification situation;
 - 4) A time schedule for taking such corrective actions including a schedule for devising additional corrective actions for situations that may not have been predicted; and
 - 5) Identification and quantification of the replacement parts which will be maintained in inventory for quick replacement.
- b) Preventive Maintenance Plans shall be submitted to IDEM, OAQ, upon request and shall be

subject to review and approval by IDEM, OAQ.

B.14 Emergency Provision [326 IAC 2-8-12]

- a) An emergency, as defined in 326 IAC 2-7-1(12), is not an affirmative defense for an action brought for noncompliance with a federal or state health-based emission limitation, except as provided as follows:
- b) An emergency, as defined in 326 IAC 2-7-1(12), constitutes an affirmative defense to an action brought for noncompliance with a health-based or technology-based emission limitation if the affirmative defense of an emergency is demonstrated through properly signed, contemporaneous operating logs or other relevant evidence that describes the following:
 - 1) An emergency occurred and the Permittee can, to the extent possible, identify the causes of the emergency;
 - 2) The permitted facility was at the time being properly operated;
 - 3) During the period of an emergency, the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or other requirements of this permit;
 - 4) The Permittee notified IDEM, OAQ, within four (4) daytime business hours after the beginning of the emergency occurrence by telephone or facsimile;

Telephone No.: 1-800-451-6027 (ask for Office of Air Quality) or,
Telephone No.: 317-233-0178
Facsimile No.: 317-233-5967
 - 5) The Permittee submitted written notice or by facsimile of the emergency to:

Indiana Department of Environmental Management,
Compliance Branch, Office of Air Quality,
100 North Senate Avenue, P.O. Box 6015
Indianapolis, Indiana 46206-6015

within two (2) working days of the time when emission limitations were exceeded due to the emergency. The notice shall fulfill the requirement of 326 IAC 2-8-4(3)(C)(ii) and must contain the following:
 - A) A description of the emergency;
 - B) Any steps taken to mitigate the emissions; and
 - C) Corrective actions taken.
 - 6) The Permittee immediately took all reasonable steps to correct the emergency.
- c) In any enforcement proceeding, the Permittee seeking to establish the occurrence of an emergency has the burden of proof.
- d) This emergency provision supersedes any emergency or upset provision contained in 326 IAC

1-6 (Malfunctions). This permit condition is in addition to any emergency or upset provision contained in any applicable requirement.

- e) IDEM, OAQ, may require that the preventive maintenance plan required under 326 IAC 2-8-3(c)(6) be revised in response to an emergency.
- f) Failure to notify IDEM, OAQ, by telephone or facsimile within four (4) daytime business hours after the beginning of the emergency shall constitute a violation of 326 IAC 2-8 and any other applicable rules.
- g) Operations may continue during an emergency only if the following conditions are met:
 - 1) If the emergency situation causes a deviation from a technology-based limit, the Permittee may continue to operate the affected emitting facilities during the emergency provided the Permittee immediately takes all reasonable steps to correct the emergency and minimize emissions.
 - 2) If an emergency situation causes a deviation from a health-based limit, the Permittee may not continue to operate the affected emissions facilities unless:
 - A) the Permittee immediately takes all reasonable steps to correct the emergency situation and to minimize emissions; and
 - B) continued operation of the facilities is necessary to prevent imminent injury to persons, severe damage to equipment, substantial loss of capital investment, or loss of product or raw material of substantial economic value.

Any operations shall continue no longer than the minimum time required to prevent the situations identified in clause (B) above.

- B.15 Deviations from Permit Requirements and/or Conditions [326 IAC 2-8-4(3)(C)(ii)]
Deviations from requirements, (for emergencies see Condition B.14 - Emergency Provision) the probable cause of such deviations, and any corrective actions or preventive measures taken shall be reported to:

Indiana Department of Environmental Management,
Compliance Branch, Office of Air Quality,
100 North Senate Avenue, P.O. Box 6015
Indianapolis, Indiana 46206-6015

within ten (10) calendar days from the date of the discovery of the deviation.

Written notification shall be submitted on the attached Deviation Occurrence Reporting Forms.

- B.16 Permit Modification, Reopening, Revocation and Reissuance, or Termination
[326 IAC 2-8-4(5)(C)] [326 IAC 2-8-7(a)] [326 IAC 2-8-8(a)]
[326 IAC 2-8-8(b)] [326 IAC 2-8-8(c)]

- a) This permit may be modified, reopened, revoked and reissued, or terminated for cause. The filing of a request by the Permittee for a modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any condition of this permit. [326 IAC 2-8-4(5)(C)]

M.C. Aluminum America, Inc.
Columbus, Indiana
Permit Reviewer: MES

First Administrative Amendment 005-12955
Amended by: Gail McGarrity

Page 13 of 30
F 005-5548-00043

- b) This permit shall be reopened and revised under any of the circumstances listed in IC 15-15-7-2 (prior to July 1, 1996, in IC 13-7-10-5) or if the commissioner determines any of the following:
 - 1) That it contains a material mistake.
 - 2) That inaccurate statements were made in establishing the emissions standards or other terms or conditions.
 - 3) That this permit must be revised or revoked to assure compliance with an applicable requirement. [326 IAC 2-8-8(a)]
- c) Proceedings by IDEM, OAQ, to reopen and revise this permit shall follow the same procedures as apply to initial permit issuance and shall affect only those parts of this permit for which cause to reopen exists. Such reopening and revision shall be made as expeditiously as practical. [326 IAC 2-8-8(b)]
- d) The reopening and revision of this permit, under 326 IAC 2-8-8(a), shall not be initiated before notice of such intent is provided to the Permittee by IDEM, OAQ, at least thirty (30) days in advance of the date this permit is to be reopened, except that IDEM, OAQ, may provide a shorter time period in the case of an emergency. [326 IAC 2-8-8(c)]

B.17 Permit Renewal [326 IAC 2-8-3(h)]

- a) The application for renewal shall be submitted using the application form or forms prescribed by IDEM, OAQ, and shall include, at minimum, the information specified in 326 IAC 2-8-3. Such information shall be included in the application for each emission unit at this source, except those emission units included on the trivial or insignificant activities list contained in 326 IAC 2-7-1(20).

Request for renewal shall be submitted to:

Indiana Department of Environmental Management,
Permits Branch, Office of Air Quality,
100 North Senate Avenue, P.O. Box 6015
Indianapolis, IN 46206-6015

- b) Timely Submittal of Permit Renewal [326 IAC 2-5-3]
 - 1) The Permittee has a duty to submit a timely and complete permit renewal application. A timely renewal application is one that is:
 - A) Submitted at least nine (9) months prior to the date of the expiration of this permit; and
 - B) Delivered by U.S. mail and postmarked on or before the date it is due; or
 - C) Delivered by any other method if it is received and stamped by IDEM, OAQ, on or before the date it is due.

- 2) If IDEM, OAQ fails to issue or deny the permit renewal prior to the expiration date of this permit, this existing permit shall not expire and all terms and conditions shall continue in effect until the renewal permit has been issued or denied.
 - c) **Right to Operate After Application of Renewal [326 IAC 2-8-9]**
If the Permittee submits a timely and complete application for renewal of this permit, the source's failure to have a permit is not a violation of 326 IAC 2-8 until IDEM, OAQ takes final action on the renewal application, except that this protection shall cease to apply if, subsequent to the completeness determination, the Permittee fails to submit by the deadline specified in writing by IDEM, OAQ, any additional information identified as needed to process the application.
- B.18 Administrative Permit Amendment [326 IAC 2-8-10]
- a) An administrative permit amendment is a FESOP revision that makes changes of the type specified under 326 IAC 2-8-10(a).
 - b) An administrative permit amendment may be made by IDEM, OAQ, consistent with the procedures specified under 326 IAC 2-8-10(b).
 - c) The Permittee may implement the changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-8-10(b)(3)]
- B.19 Minor Permit Modification [326 IAC 2-8-11(a)] [326 IAC 2-8-11(b)(1) and (2)]
- a) A permit modification is any revision to this permit that cannot be accomplished as an administrative permit amendment under 326 IAC 2-8-10.
 - b) Minor permit modification procedures shall follow the procedures specified under 326 IAC 2-8-11(b)(1)(A) through (F).
 - c) An application requesting the use of minor modification procedures shall meet the requirements of 326 IAC 2-8-3(c) and shall include the information required in 326 IAC 2-8-11(b)(3)(A) through (D).
 - d) The Permittee may make the change proposed in its minor permit modification application immediately after it files such application unless the change is subject to the construction permit requirements of 326 IAC 2-1, 326 IAC 2-2, or 326 IAC 2-3. After the Permittee makes the change allowed under minor permit modification procedures, and until IDEM, OAQ takes any of the actions specified in 326 IAC 2-8-11(b)(5), the Permittee must comply with both the applicable requirements governing the change and the proposed permit terms and conditions. During this period, the Permittee need not comply with the existing permit terms and conditions it seeks to modify. If the Permittee fails to comply with its proposed permit terms and conditions during this time period, the existing permit terms and conditions it seeks to modify may be enforced against it. [326 IAC 2-8-11(b)(6)]
- B.20 Significant Permit Modification [326 IAC 2-8-11(d)]
- a) Significant modification procedures shall be used for applications requesting permit modifications that do not qualify as minor permit modifications or as administrative amendments.

- b) Any significant change in existing monitoring permit terms or conditions and every relaxation of reporting or record keeping permit terms or conditions of this permit shall be considered significant.
- c) Nothing in 326 IAC 2-8-11(d) shall be construed to preclude the Permittee from making changes consistent with 326 IAC 2-8 that would render existing permit compliance terms and conditions irrelevant.
- d) Significant modifications of this permit shall meet all requirements of 326 IAC 2-8, including those for application, public participation, and review by the U.S. EPA, as they apply to permit issuance and renewal.

B.21 Permit Revision Under Economic Incentives and Other Programs [326 IAC 2-8-11(b)(2)]
Notwithstanding 326 IAC 2-8-11(b)(1)(D)(i) and 326 IAC 2-8-11(c)(1), minor permit modification procedures may be used for modifications of this permit involving the use of economic incentives, marketable FESOP's, emissions trading, and other similar approaches to the extent that such minor permit modification procedures are explicitly provided for in the applicable implementation plan (SIP) or in applicable requirements promulgated by the U.S. EPA.

B.22 Operational Flexibility [326 IAC 2-8-15]

- a) The Permittee may make any change or changes at the source that are described in 326 IAC 2-8-15(b) through (d), without prior permit revision, if each of the following conditions is met:

- 1) The changes are not modifications under any provision of Title I of the Clean Air Act;
- 2) The changes do not result in emissions which exceed the emissions allowable under this permit (whether expressed therein as a rate of emissions or in terms of total emissions);

- 3) The Permittee notifies the:

Indiana Department of Environmental Management
Permits Branch, Office of Air Quality
100 North Senate Avenue, P.O. Box 6015
Indianapolis, Indiana 46206-6015

and

Regional Administrator, Region V, U.S. Environmental Protection Agency (EPA)
Air and Radiation Division, Regulation Development Branch (AR-18J)
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

in advance of the change by written notification at least ten (10) days in advance of the proposed change. The Permittee shall attach every such notice to the Permittee's copy of this permit; and

- 4) The Permittee maintains records on-site which document, on a rolling five (5) year basis, all such changes and emissions trading that are subject to 326 IAC 2-8-15(b) through (d) and makes such records available, upon reasonable request, to public review. Such records shall consist of all information required to be submitted to IDEM, OAQ, in the notices specified in 326 IAC 2-8-15(b)(1), (c)(1), and (d).

- b) For each such change, the required written notification shall include the following:
 - 1) A brief description of the change within the source;
 - 2) The date on which the change will occur;
 - 3) Any change in emissions; and
 - 4) Any permit term or condition that is no longer applicable as a result of the change.
- c) Emission trades [326 IAC 2-8-15(c)]
The Permittee may trade increases and decreases in emissions in the source, where the applicable SIP provides for such emission trades without requiring a permit revision, subject to the constraints in section (a) of this condition and those in 326 IAC 2-8-15(c).
- d) Alternative Operating Scenarios [326 IAC 2-8-15(d)]
The Permittee may make changes at the source within the range of alternative operating scenarios that are described in the terms and conditions of this permit in accordance with 326 IAC 2-8-4(7) and subject to the constraints in section (a) of this condition and those in 326 IAC 2-8-15(d)

B.23 Construction Permit Requirement [326 IAC 2-1]

Prior to any change in the operation which may result in an increase in allowable emissions exceeding those specified in 326 IAC 2-1-1 (Construction and Operating Permit Requirements), the change must be approved by the Office of Air Quality (OAQ)

B.24 Inspection and Entry [326 IAC 2-8-5(a)(2)]

Upon presentation of IDEM identification cards, credentials, and other documents as may be required by law, the Permittee shall allow IDEM, OAQ, U.S. EPA, or an authorized representative to perform the following:

- a) Enter upon the Permittee's premises where a FESOP source is located or emissions related activity is conducted, or where records are kept under the conditions of this permit;
- b) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- c) Inspect, at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- d) Sample or monitor, at reasonable times, substances or parameters for the purpose of demonstrating compliance with this permit or applicable requirements; and
- e) Utilize any photographic, recording, testing, monitoring, or other equipment for the purpose of demonstrating compliance with this permit or applicable requirements. [326 IAC 2-8-5(a)(4)]

B.25 Annual Fee Payment [326 IAC 2-8-4(6)] [326 IAC 2-8-16]

- a) The Permittee shall pay annual fees to IDEM, OAQ, consistent with the fee schedule established in 326 IAC 2-8-16.
- b) Failure to pay may result in administrative enforcement action, revocation of this permit,

referral to the Office of Attorney General for collection, or other appropriate measures.

- c) The Permittee shall pay the annual fee within thirty (30) calendar days of receipt of a billing by IDEM, OAQ or in a time period that is consistent with the payment schedule issued by IDEM, OAQ.
- d) If the Permittee does not receive a bill from IDEM, OAQ, thirty (30) calendar days before due date, the Permittee shall call the following telephone numbers: 1-800-451-6027 or 317-233-0179 (ask for OAQ, Data Support Section), to determine the appropriate permit fee. The applicable fee is due April 1 of each year.

SECTION C SOURCE OPERATION CONDITIONS

Entire Source

Emissions Limitations [326 IAC 2-8-4(1)]

C.1 Opacity

Pursuant to 326 IAC 5-1-2 (Visible Emissions Limitations), except as provided in 326 IAC 5-1-3 (Temporary Exemptions), visible emissions shall meet the following:

- a) Visible emissions shall not exceed an average of 40% opacity in 24 consecutive readings,
- b) Visible emissions shall not exceed 60% opacity for more than a cumulative total of 15 minutes (60 readings) in a 6-hour period.

C.2 Open Burning

The Permittee shall not open burn any material except as provided in 326 IAC 4-1-3, 326 IAC 4-1-4 or 326 IAC 4-1-6. This is not a federally enforceable condition.

C.3 Fugitive Dust Emissions

The Permittee shall be in violation of 326 IAC 6-4 if any of the criteria specified in 326 IAC 6-4-2 (1) through (4) are violated. This is not a federally enforceable condition.

C.4 Operation of Equipment [326 IAC 2-8-5(a)(4)]

- a) All equipment that potentially might emit pollutants into the ambient air shall be properly operated and maintained.
- b) Unless otherwise stated in this permit, all air pollution control equipment listed in this permit shall be operated at all times that the emission unit(s) vented to the control equipment is in operation.
- c) The permittee shall perform all necessary maintenance and make all necessary attempts to keep all air pollution control equipment in proper operating condition at all times.

Testing [326 IAC 2-8-4(3)]

C.5 Performance Testing

During the five (5) year term of the permit, the Permittee shall perform the tests specified in this permit to demonstrate compliance with the applicable rule or permit condition. All testing shall be performed according to the provisions of 326 IAC 3-2.1 (Source Sampling Procedures) and by methods in the approved test protocol. The test protocol shall be submitted to:

Indiana Department of Environmental Management,
Compliance Data Section, Office of Air Quality,
100 North Senate Avenue, P.O. Box 6015
Indianapolis, Indiana 46206-6015

at least thirty-five (35) days before the intended test date. The Permittee shall develop and submit for approval with the protocol, test methods and standard operating procedures to be followed during sampling, handling, analysis, quality control, quality assurance, and data reporting. [326 IAC 3-2.2-

2(a)]

Compliance Monitoring [326 IAC 2-8-5(a)(1)]

C.6 Compliance Monitoring [326 IAC 2-8-4(3)]

Compliance with applicable requirements shall be documented in accordance with the provisions of 326 IAC 2-8-4(3). The Permittee shall be responsible for installing any necessary equipment and initiating any additional monitoring no less than ninety (90) days after receipt of this permit. If due to circumstances beyond its control, this schedule cannot be met, the Permittee shall notify:

Indiana Department of Environmental Management,
Compliance Data Section, Office of Air Quality,
100 North Senate Avenue, P.O. Box 6015
Indianapolis, Indiana 46206-6015

in writing, with full justification of the reasons for inability to meet this date and a schedule which it expects to meet. If a denial of the request is not received before the monitoring is fully implemented, the schedule shall be deemed approved.

C.7 Maintenance of Monitoring Equipment [326 IAC 1-6]

The Permittee shall perform all necessary maintenance and make all necessary attempts to keep all required monitoring equipment in proper operating condition at all times. In the event that a breakdown of the monitoring equipment occurs, a record shall be made of the times and reasons of the breakdown and efforts made to correct the problem.

The Permittee shall install, calibrate, quality assure, maintain, and operate all necessary monitors and related equipment. Preventive maintenance plans of the monitors shall be implemented. In addition prompt correction, as indicated, shall be initiated within the time frames specified, whenever the parameters monitored fall outside of the indicated values.

C.8 Monitoring Methods [326 IAC 3]

Any monitoring or testing performed to meet the requirements of this permit shall be performed, whenever applicable according to the provisions of 326 IAC 3, or 40 CFR Part 60, Appendix A, as appropriate, unless some other method is specified in this permit.

C.9 Pressure Gauge Specifications

Whenever a condition in this permit requires the taking of pressure drop across any part of the unit or its control device the gauge employed shall have a scale such that the expected normal reading shall be no less than 20 percent of full scale and be accurate within $\pm 2\%$ of full scale reading. The instrument shall be quality assured and maintained as specified by the vendor.

C.10 Visible Emissions Observations [326 IAC 5]

Unless otherwise noted, whenever a condition in this permit requires the taking of visible emissions, such readings shall be taken in accordance with 326 IAC 5 (Opacity Regulations). Readings shall be taken by a qualified observer when the equipment or process being monitored is operating at normal conditions. For processes operated continuously "normal" means those conditions prevailing, or expected to prevail, 80% of the time the process is in operation, not counting startup or shut down time. In the case of batch or discontinuous operations readings shall be taken during that part of the operation specified in the unit specific condition prescribing visible emissions.

A six minute set of additional readings shall be taken any time it is noted that the emissions are higher than normal and the reasons, if known, shall be recorded. These readings and records shall continue

every daylight hour until the process is either shut down or returns to normal. Any time the required visible emission readings are not taken, the permittee shall document such failure and the reasons thereof. All this information shall be treated as part of the visible emission record in accordance with Condition C.16 - General Record Keeping Requirements, and Condition C.17 - General Reporting Requirements, of this permit.

Corrective Actions [326 IAC 2-8-4(1)] [326 IAC 2-8-5(1)]

C.11 Failure to Take Corrective Action

For each unit for which parametric monitoring is required, appropriate corrective actions as described in the Preventive Maintenance Plan shall be taken when indicated by monitoring information. Failure to take corrective action following an excursion of a surrogate monitoring parameter within the indicated time may constitute a violation of the permit coupled with any one of the following conditions:

- a) The permittee fails to determine and document the cause of the excursion; or
- b) Taking corrective action as set in the Plan would be unreasonable; or
- c) Failure to take corrective action results in the exceedance of an enforceable emission limitation, in which case the violation would be of the underlying standard and may result in a more severe penalty.

After investigating the reason for the excursion, the permittee may be excused from taking further corrective action for any of the following reasons:

- a) Providing that prompt action was taken to correct the monitoring equipment, that the monitoring equipment malfunctioned, giving a false reading; or
- b) The permittee has determined that the parameters established in the permit conditions are technically inappropriate, has previously submitted a request for an administrative amendment to the permit, and such request has not been denied; or
- c) An automatic measurement was taken when the process was not operating; or
- d) The permittee determines that the process has already returned to operating within "normal" parameters and no corrective action is required.

Records shall be kept of all instances in which the action values were not met and of all corrective actions taken. In the event of an "emergency" as defined in 326 IAC 2-7-16 the provisions of that rule requiring prompt corrective action to mitigate emissions shall prevail.

C.12 Actions Related to Abnormal Visible Emissions

Whenever the visible emission reading taken in conformance with Condition C.10 - Visible Emissions Observations, of this permit exceeds the level specified in a condition of this permit, the troubleshooting contingency actions, which are part of the Preventive Maintenance Plan, prepared in conformance with Condition B.13 - Preventive Maintenance Plan, of this permit, shall be immediately implemented.

C.13 Actions Related to Noncompliance Demonstrated by a Stack Test

Whenever the results of the stack test performed in conformance with Condition C.5 - Performance Testing, of this permit exceed the level specified in any condition of this permit, appropriate corrective actions shall be submitted to IDEM-OAQ within 30 (thirty) days of receipt of the test results. These actions shall be implemented immediately unless notified by OAQ that they are not acceptable. The

Permittee shall minimize emissions while the corrective actions are being implemented.

Should IDEM, OAQ request a second test to demonstrate compliance it shall be performed within 120 days of the request. Failure of the second test to demonstrate compliance may be grounds for immediate revocation of the permit to operate the affected facility.

Record Keeping and Reporting [326 IAC 2-8-4(3)]

C.14 Emission Reporting [326 IAC 2-6]

- a) The Permittee shall submit a certified, annual emission statement that meets the requirements of 326 IAC 2-6 (Emission Reporting). This annual statement must be received by July 1 of each year and must comply with the minimum requirements specified in 326 IAC 2-6-4. The submittal should cover the period defined in 326 IAC 2-6-2(8)(Emission Statement Operating Year). The annual statement must be submitted to:

Indiana Department of Environmental Management,
Data Support Section, Office of Air Quality,
100 North Senate Avenue, P.O. Box 6015
Indianapolis, Indiana 46206-6015

- b) This annual emission statement required by this permit shall be timely if:
- 1) Delivered by U.S. mail and postmarked on or before the date it is due; or
 - 2) Delivered by any other method if it is received and stamped by IDEM, OAQ, on or before the date it is due.

C.15 Monitoring Data Availability

All observations, sampling, maintenance procedures, and record keeping, required as a condition of this permit shall be performed at all times the equipment is operating at normal representative conditions. Records shall be kept of the times that the equipment is not operating. If the equipment is operating but abnormal conditions prevail, additional observations and sampling should be taken with a record made of the nature of the abnormality. If for reasons beyond its control, the operator fails to make required observations, sampling, maintenance procedures, or record keeping, reasons for this must be recorded. At its discretion, IDEM may excuse such failure providing adequate justification is documented and such failures do not exceed 5% of the operating time in any quarter. Temporary, unscheduled unavailability of staff qualified to perform the required observations, sampling, maintenance procedures, or record keeping shall be considered a valid reason.

C.16 General Record Keeping Requirements

- a) Records of all required monitoring data and support information shall be retained for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. These records shall be kept at the source location and available within one hour upon verbal request of an IDEM, OAQ representative, for a minimum of three (3) years. They may be stored elsewhere for the remaining two years providing they are made available within thirty (30) days after written request.
- b) Records of required monitoring information shall include:
- 1) The date, place, and time of sampling or measurements;

- 2) The dates analyses were performed;
 - 3) The company or entity performing the analyses;
 - 4) The analytic techniques or methods used;
 - 5) The results of such analyses; and
 - 6) The operating conditions existing at the time of sampling or measurement.
- c) Support information shall include:
- 1) Copies of all reports required by this permit.;
 - 2) All original strip chart recordings for continuous monitoring instrumentation;
 - 3) All calibration and maintenance records;
 - 4) All preventive maintenance and corrective actions that were implemented. Such records shall briefly describe what was done and indicate who did it;
 - 5) Relevant work purchases orders;
 - 6) Quality assurance and quality control procedures;
 - 7) Operator's standard operating procedures;
 - 8) Manufacturer's specifications or their equivalent; and
 - 9) Equipment "troubleshooting" guidance.

C.17 General Reporting Requirements

- a) Unless otherwise stated in this permit, monitoring reports shall be submitted semiannually to:
Indiana Department of Environmental Management,
Compliance Data Section, Office of Air Quality,
100 North Senate Avenue, P.O. Box 6015
Indianapolis, Indiana 46206-6015
- b) Unless otherwise specified in this permit, any notice, report, or other submission required by this permit shall be timely if:
 - 1) Delivered by U.S. mail and postmarked on or before the date it is due; or
 - 2) Delivered by any other method if it is received and stamped by IDEM, OAQ, on or before the date it is due.
- c) All instances of deviations from any requirements of this permit must be clearly identified in such reports.

SECTION D.1 FACILITY OPERATION CONDITIONS

One (1) natural gas-fired chip dryer (#1) rated at 1.59 MMBtu/hr, known as EU-04, equipped with a 1.98 MMBtu/hr afterburner and a cyclone/baghouse, capacity: 4,400 lbs/hr.
One (1) natural gas-fired chip dryer (#2) rated at 3.26 MMBtu/hr, known as EU-05, equipped with a 13.04 MMBtu/hr afterburner, known as EU-01C, and a baghouse, capacity: 8,419 lbs/hr.
One (1) natural gas-fired 20 MT burner rated at 15 MMBtu/hr, known as EU-01A, capacity: 4,160 lbs/hr.
One (1) natural gas-fired 40 MT burner rated at 18 MMBtu/hr, known as EU-01B, capacity: 7,650 lbs/hr.
One (1) 20 MT reverberatory furnace, known as EU-03, equipped with a baghouse, capacity: 4,260 lbs/hr.
One (1) 40 MT reverberatory furnace, known as EU-02, equipped with a baghouse, capacity: 8,050 lbs/hr.
One (1) rotary furnace, known as EU-06, equipped with a baghouse, capacity: 2,000 lbs/hr.
One (1) holding furnace, known as EU-07, capacity: 40,000 lbs/hr.
One (1) casting area, known as EU-08, capacity: 20,000 lbs/hr.
One (1) 30 metric ton reverberatory furnace, known as RF#3, capacity : 6,510 lbs/hr.

Emissions Limitations [326 IAC 2-8-4(1)]

D.1.1 Volatile Organic Compound

- a) That pursuant to 326 IAC 8-1-6 (Best Available Control Technology), and CP-005-4005, issued on December 30, 1994, the afterburners shall be in operation at all times that the chip dryers are in operation.
- b) That the volatile organic compound (VOC) emissions from the secondary aluminum smelting processes shall be limited to 8.25 tons per month. Therefore, the requirements of 326 IAC 2-7 do not apply.

D.1.2 Hazardous Air Pollutants

That the hazardous air pollutant emissions shall be limited as follows:

The amount of flux added to each of the three (3) reverberatory furnaces shall not exceed 16.7 tons per month and the amount of chlorine added to the 30 and 40 MT reverberatory furnaces shall not exceed 11.8 tons per month.

- a) A single hazardous air pollutant (HAP) emissions shall not exceed 0.75 tons per month.
- b) Any combination of HAPs emissions shall not exceed 2.00 tons per month.

Therefore, the requirements of 326 IAC 2-7 do not apply.

D.1.3 Particulate Matter

- a) That pursuant to 326 IAC 6-3 (Process Operations), the particulate matter emissions from the secondary aluminum smelting shall not exceed 13.9 lbs per hour.
- b) That the PM₁₀ emissions from the secondary aluminum smelting processes shall be limited to 5.08 tons per month. Therefore, the requirements of 326 IAC 2-7 do not apply.

M.C. Aluminum America, Inc.
Columbus, Indiana
Permit Reviewer: MES

First Administrative Amendment 005-12955
Amended by: Gail McGarrity

Page 25 of 30
F 005-5548-00043

D.1.4 Sulfur Dioxide

That the sulfur dioxide pollutant emissions shall be limited as follows:

- a) The total throughput of aluminum chips to the two (2) chip dryers shall not exceed 3.67 tons per month.
- b) The total source sulfur dioxide emissions from the secondary aluminum smelting processes shall be limited to 8.25 tons per month. Therefore, the requirements of 326 IAC 2-7 do not apply.

D.1.5 Natural Gas Fuel

That all significant combustion units shall use only natural gas as fuel.

Testing Requirements [326 IAC 2-8-4(3)]

D.1.6 Thermal Oxidizer (Afterburners)

That compliance stack tests shall be performed once every five years at the two (2) chip dryer afterburners. These tests shall be performed by methodology acceptable to the IDEM.

D.1.7 Particulate Matter

That the Permittee shall test for particulate matter emissions from the two (2) reverberatory furnace baghouses #1 and #4 using methodology acceptable to the IDEM. This test shall be repeated no less than once every five years from the issuance of this permit.

Compliance Monitoring Requirements [326 IAC 2-8-5(a)(1)]

D.1.8 Thermal Oxidizer

That pursuant to 326 IAC 8-1-6 (Best Available Control Technology) and CP-005-4005, issued on December 30, 1994, the afterburners shall be in operation at all times that the chip dryers are in operation. The afterburners shall maintain a minimum operating temperature of 1500 F or the temperature determined in the compliance tests to maintain at least 95% destruction of VOC captured.

D.1.9 Pressure Readings

That the Permittee shall take pressure readings from the two (2) reverberatory baghouses #1 and #4 controlling the reverberatory furnaces, at least once a day when the furnace(s) are in operation. Unless operated under conditions for which the Preventive Maintenance Plan specifies otherwise, the pressure drop for each compartment and for the unit shall be maintained within the range of 3.0 and 6.0 inches of water. The Preventive Maintenance Plan for this unit shall contain troubleshooting contingency and corrective actions for when the pressure reading is outside of this range for more than two consecutive readings. Corrective actions shall also be prescribed in the Preventive Maintenance Plan for instances when a reading differs from the previous reading by more than 1.2 inches of water.

The instrument used for determining the pressure shall comply with condition C.9 - Pressure Gauge Specifications, be subject to approval by IDEM, OAQ, and shall be calibrated at least once every three (3) months.

D.1.10 Daily Visible Emissions Observations

The Permittee is not required to document compliance with Condition C.1 using 40 CFR Part 60, Appendix A, Method 22. However, compliance with Condition D.1.3 shall be evaluated once during each day of operations by a trained person noting whether emissions are or are not "normal".

D.1.11 Broken Bag or Failure Detection

That in the event that bag failure has been observed:

- a) The affected compartments will be shut down immediately until the units have been replaced.
- b) Based upon the findings of the inspection, any additional corrective actions will be devised within eight (8) hours of discovery and will include a timetable for completion.

Record Keeping and Reporting Requirements [326 IAC 2-8-4(3)]

D.1.12 Volatile Organic Compound (VOC) Usage

That the Permittee shall maintain records at the source of the materials used that contain any VOCs. The records shall be complete and sufficient to establish compliance with the VOC emission limits established in this permit. The records shall contain a minimum of the following:

- a) The weight of VOC containing material used, including purchase orders and invoices necessary to verify the type and amount used;
- b) The VOC content (weight percent) of each material used; and
- c) The weight of VOCs emitted for each compliance period, considering capture and control efficiency, if applicable.

D.1.13 Hazardous Air Pollutant (HAP)

That the Permittee shall maintain records at the facility of the materials used that contain any HAPs. The records shall be complete and sufficient to establish compliance with the HAP usage limits and HAP emission limits that may be established in this permit. The records shall contain a minimum of the following:

- a) The weight of HAP containing material used, including purchase orders and invoices necessary to verify the type and amount used;
- b) The HAP content (weight percent) of each material used;
- c) The weight of HAPs emitted for each compliance period, considering capture and control efficiency, if applicable; and
- d) Identification of the facility or facilities associated with the usage of each HAP.

D.1.14 Operational Parameters

That the Permittee shall maintain records at the stationary source of the following values:

- a) Daily inlet and outlet differential static pressure;
- b) Weekly cleaning cycle: frequency and differential pressure;

- c) Weekly fan speed/current and flow rate; and
- d) Daily visible observations.

D.1.15 Sulfur Dioxide

That the Permittee shall maintain records at the facility of the materials used that contain any sulfur content. The records shall be complete and sufficient to establish compliance with the sulfur dioxide emission limits that may be established in this permit. The records shall contain as a minimum the throughput of aluminum chips to the two (2) chip dryers and the sulfur content of the chips.

D.1.16 PM₁₀

That the Permittee shall maintain records at the facility of the throughput to the reverberatory and rotary furnaces. The records shall be complete and sufficient to establish compliance with the PM₁₀ emission limits that may be established in this permit.

D.1.17 Quarterly Reporting

That a quarterly summary to document compliance with operation condition numbers D.1.2 and D.1.4 shall be submitted, using the enclosed forms or their equivalent, within thirty (30) days after the end of the quarter being reported.

M.C. Aluminum America, Inc.
Columbus, Indiana
Permit Reviewer: MES

First Administrative Amendment 005-12955
Amended by: Gail McGarrity

Page 29 of 30
F 005-5548-00043

State Form 47738 (5-96)

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
Office of Air Quality
COMPLIANCE DATA SECTION

FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
CERTIFICATION

Source Name: M.C. Aluminum America, Inc.
Source Address: 6875 South Inwood Drive, Columbus, Indiana 47201
FESOP No.: F 005-5548-00043

This certification shall be included when submitting monitoring, testing reports/results or other documents as required by this permit.

Please check what document is being certified:

- 9 Deviation Occurrence Reporting Form (For Control Equipment Monitoring)
- 9 Deviation Occurrence Reporting Form (For Material Usage, Quality, Etc.)
- 9 Relocation Notification
- 9 Test Result (specify) _____
- 9 Report (specify) _____
- 9 Notification (specify) _____
- 9 Other (specify) _____

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete.

Signature:

Printed Name:

Title/Position:

Date:

M.C. Aluminum America, Inc.
Columbus, Indiana
Permit Reviewer: MES

First Administrative Amendment 005-12955
Amended by: Gail McGarrity

Page 30 of 30
F 005-5548-00043

State Form 47739 (5-96)

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
Office of Air Quality
COMPLIANCE DATA SECTION

FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
DEVIATION OCCURRENCE REPORTING FORM
(For Control Equipment Monitoring Only)

Source Name: M.C. Aluminum America, Inc.
Source Address: 6875 South Inwood Drive, Columbus, Indiana 47201
FESOP No.: F 005-5548-00043

A separate copy of this report must be submitted for **each** monitoring device on all control equipment listed in this permit. Attach a signed certification to complete this report.

Stack/Vent ID:

Control Equipment:

(ex: thermal oxidizer, scrubber, baghouses)

Type of Parameter Monitored:

(ex: temperature, pressure drop, efficiency)

9 Continuously

9 Periodically, at a frequency of:

Parameter Operating Restrictions/Range:

(ex: 1,400°F, 2-4 psi pressure drop)

Report Covers From:

(date: month/day/yr)

To:

9 No Deviations from the Parameter Restriction/Range Occurred During the Monitoring Period. Complete Records Maintained at the Facility Verify Compliance with this Condition.

9 Summary of Deviations from the Parameter Restriction/Range During the Monitoring Period are Identified Below. Complete Records Maintained at the Facility.

	For Parameter Recorded Continuously	For Parameter Recorded Periodically
Total Unit Operating Time		
Total Time of Deviations (Identify All Deviations)		
Percent of Time Indicating Deviations ([2]/[1]x100)		

Date of Deviation	Start/Stop Time of Deviation (Continuous Monitoring Only)	Actual Value Recorded	Reason for Deviation & Corrective Action Taken

M.C. Aluminum America, Inc.
Columbus, Indiana
Permit Reviewer: MES

First Administrative Amendment 005-12955
Amended by: Gail McGarrity

Page 31 of 30
F 005-5548-00043

M.C. Aluminum America, Inc.
Columbus, Indiana
Permit Reviewer: MES

First Administrative Amendment 005-12955
Amended by: Gail McGarrity

Page 32 of 30
F 005-5548-00043

State Form 47741 (5-96)

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
Office of Air Quality
COMPLIANCE DATA SECTION

FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
DEVIATION OCCURRENCE REPORTING FORM

Source Name: M.C. Aluminum America, Inc.
Source Address: 6875 South Inwood Drive, Columbus, Indiana 47201
FESOP No.: F 005-5548-00043

A separate copy of this report must be submitted for **each** material type, quantity usage and operation limitation (except control equipment monitoring) listed in this permit.
Attach a signed certification to complete this report.

Stack/Vent ID:

Equipment/Operation:

Parameter Subject to Material Type, Quantity Usage or Operation Limitations Specified in the Permit:
(ex: 2500 lb/day, 300 hours/yr, 5000 gallons/month)

Determination Period for this Parameter:
(ex: 365-day rolling sum, fixed monthly rate)

9 Permit Has No Rate Limitations for this Parameter.

Content Restriction for this Parameter:
(ex: maximum of 40% VOC in inks, 0.5% sulfur content)

Demonstration Method for this Parameter:
(ex: MSDS, Supplier, material sampling & analysis)

9 Permit Has No Content Limitations for this Parameter.

Comments:

M.C. Aluminum America, Inc.
Columbus, Indiana
Permit Reviewer: MES

First Administrative Amendment 005-12955
Amended by: Gail McGarrity

Page 33 of 30
F 005-5548-00043

State Form 47742 (5-96)

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
Office of Air Quality
AIR COMPLIANCE SECTION

FEDERALLY ENFORCEABLE STATE OPERATING PERMIT (FESOP)
RELOCATION NOTIFICATION

Source Name: M.C. Aluminum America, Inc.

Source Address: 6875 South Inwood Drive, Columbus, Indiana 47201

FESOP No.: F 005-5548-00043

A separate copy of this notification must be submitted for each emission unit/pollution control equipment that is relocated. Attach a signed Certification to complete this Notification.

This is only for relocation of equipment within a source.
Relocation to another source or site requires a construction permit.

Emission Unit	Date Relocated	Original Location	New Location
Reason for Relocation:			

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
Office of Air Quality
COMPLIANCE DATA SECTION

FESOP Quarterly Report

Source Name: M.C. Aluminum America, Inc.
Source Address: 6875 South Inwood Drive, Columbus, Indiana 47201
FESOP No.: F 005-5548-00043
Parameter: HAPs
Limit: 0.75 tons per month for individual HAP
2.0 tons per month for combination of HAPs
Equivalent to 33.4 tons per month of flux and 11.8 tons per month of chlorine

Year: _____

Month	Total Flux Added to Reverberatory Furnaces (tons)	Chlorine Added 30 to 40 MT Reverberatory Furnace (tons)

9 No deviation occurred in this quarter.

9 Deviation/s occurred in this quarter.
Deviation has been reported on: _____

Submitted by: _____

Title/Position: _____

Signature: _____

Date: _____

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
Office of Air Quality
COMPLIANCE DATA SECTION

FESOP Quarterly Report

Source Name: M.C. Aluminum America, Inc.
Source Address: 6875 South Inwood Drive, Columbus, Indiana 47201
FESOP No.: F 005-5548-00043
Parameter: Sulfur Dioxide
Limit: 5.50 tons per month for the Two (2) Chip Dryers
Equivalent to a total throughput of 3.67 tons per month of Aluminum Chip to the two (2) Chip Dryers

Year: _____

Month	Throughput of Al Chips to Dryer # 1 (tons)	Throughput of Al Chips to Dryer # 2 (tons)	Total Throughput of Al Chips to Dryer # 1 & # 2 (tons)

9 No deviation occurred in this quarter.

9 Deviation/s occurred in this quarter.
Deviation has been reported on: _____

Submitted by: _____

Title/Position: _____

Signature: _____

Date: _____